



Carbo Zinc

Reg No.: B6742 Act 36 of 1947
NAM. Reg. No.: N-F 0938

FERTILISER GROUP 2

Fructonates

A Liquid Carbohydrate Chelate for Foliar Application

PRODUCT DESCRIPTION

Carbo Zinc is a liquid Carbohydrate Chelated Zinc containing product designed for foliar application on plants to prevent or correct micro-nutrient deficiencies that may limit crop growth and yields. It is water soluble and non-toxic to plants when applied as directed. For best results apply **Carbo Zinc** according to recommendations based on plant and/or soil analysis.

ACTIVE INGREDIENTS:

Zinc (Zn)*	105.03 g/kg	142.84 g/L
Boron (B)	1.73 g/kg	2.35 g/L
*Carbohydrate Chelated		

Specific Gravity (SG) @ 20°C	1.36
pH (10% solution)	2.50-3.50

NET MASS
VOLUME **20 L**

REGISTRATION HOLDER:

Lutrosolve
CK 2020/006368/07
51 Verdun Road, Kya Sands, 2196
Tel: +27 21 913 3512
0861 Metson (638 766)

EMERGENCY CONTACT:

0861 Metson (638 766)



**DANGER
WARNING**



Batch No:

Packed Date:

UN Number: Not Regulated



WARNING:
Keep away from food and feeds.
Store in a cool dry place out of reach
from children and/or uninformed
persons and animals.

STORAGE CONDITIONS

- Store in a well-ventilated area. Keep container tightly closed.
- Keep from freezing.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Store away from food and feedstuffs.
- Prevent contamination of food, feedstuffs, drinking water, eating utensils.
- Keep out of reach of children.

DIRECTIONS FOR USE: (use only as directed)

- **Carbo Zinc** is compatible with most commonly used foliar feeds.
- Do not mix **Carbo Zinc** with highly alkaline materials such as Lime Sulphur and Bordeaux Mixture.
- **Carbo Zinc** is suitable for use with knapsack, a boom/tractor sprayer, drip irrigation, pivots and aerial application.
- Use the lower concentration for maintenance and the higher concentration for sufficient uptake.
- **Carbo Zinc** can be included in a regular spray programme on crops.
- Before applying **Carbo Zinc** consult a qualified agronomist or agriculturalist on the necessity of use and compatibility with other spray materials.
- The rate of application will depend on the crop, stage of growth and the severity of deficiency.
- The maximum recommended rates are for mature, full-sized plants.
- Reduce the rates proportionally when spraying smaller plants or trees.
- **Carbo Zinc** may be used on a variety of crops.

Dilute one part Carbo Zinc with 20 or more parts of water.

Apply by a spray method and in an adequate amount of water that will provide complete coverage of the plants. The use of a non-ionic wetting agent may improve spray coverage of certain hard-to-wet plants. Do not apply undiluted.



Scan for Application Details!

HAZARD STATEMENTS:

- Combustible liquid.
- Causes mild skin irritation.
- May damage fertility; may damage unborn child.
- Very toxic to aquatic life.
- Very toxic to aquatic life with long-lasting effects.

PRECAUTIONARY STATEMENTS:

- Poisonous when swallowed.
- Wear protective eye protection.
- Do not eat, drink, or smoke when mixing or using this product. Do not inhale dust.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

DISCLAIMERS / CONDITIONS OF SALE:

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors not controlled by the manufacturer. The registration holder furthermore does not accept responsibility for damage to crops, the environment, man or animal or for lack of performance of the remedy due to failure of the end user to follow label instructions or unforeseen events or conditions. Consult the supplier in the event of any uncertainty.